

Appendix F

Infiltrometer Test Results

Appendix F - Infiltration Test Results

Pegasus Town Development

Test No.	Test Depth (m)	Head	Material	Volume (L)	Volume (m³)	Time (s)	Area (m²)	Infiltration rate (m/s)
INFT-001	0.4	0.08	Fine to medium SAND (Dune)	10.0	0.0100	730	0.073	0.00019
INFT-002	0.5	0.11	Fine to medium SAND (Inter-Dune)	5.0	0.0050	660	0.073	0.00010
INFT-003	0.2	0.09	Fine to medium SAND (Dune)	6.1	0.0061	880	0.073	0.00009
INFT-004	0.4	0.09	Fine to medium SAND (Dune)	3.6	0.0036	650	0.073	0.00008
INFT-005	0.2	0.08	Fine to medium SAND (Dune)	6.2	0.0062	685	0.073	0.00012
INFT-006	0.1	0.10	Fine to medium SAND (Dune)	2.5	0.0025	980	0.073	0.00003
INFT-007	0.2	0.09	Fine to medium SAND (Dune)	4.8	0.0048	760	0.073	0.00009
INFT-008	0.2	0.07	Fine to medium SAND (Dune)	3.8	0.0038	640	0.073	0.00008
INFT-009	0.1	0.08	Fine to medium SAND (Dune)	1.1	0.0011	900	0.073	0.00002
INFT-010	NOT COMPLETED							